Toxicology Letters, 63 (1992) 347–349
Elsevier Science Publishers B.V.

AUTHOR INDEX VOL. 63 (1992)

Abdel-Rahman, M.S., Elrakhawy, F.I. and Iskander, F.A., Protection of B cells against the effect of alloxan, 155
Abdel-Rahman, M.S., see Turkall, R.M., 57
Albrecht, R., Pelissier, M.A., Atteba, S. and Smaili, M., Dietary restriction decreases thiobarbituric acid-reactive substances generation in the small intestine and in the liver of young rats, 91
Ali, S.F., see Talaska, G., 321
Atteba, S., see Albrecht, R., 91

Babich, H., Stern, A. and Munday, R., In vitro cytotoxicity of methylated phenylenediamines, 171
Bailey, J.R., see Talaska, G., 321
Bavari, S., see Casale, G.P., 299
Berman, E., see House, D.E., 127
Bhatia, J., Moslen, M.T., Kaphalia, L. and Rassin, D.K., Glutathione and tissue amino acid responses to light-exposed parenteral nutrients, 79
Bondy, S.C., Ethanol toxicity and oxidative stress, 231
Borghoff, S.J., Youtsey, N.L. and Swenberg, J.A., A comparison of European High Test gasoline and PS-6 unleaded gasoline in their abilities to induce α_{2u}-globulin nephropathy and renal cell proliferation, 21
Boscolo, P., Carmignani, M., Carelli, G., Finelli, V.N. and Giuliano, G., Zinc and copper in tissues of rats with blood hypertension induced by long-term lead exposure, 135
Buttar, H.S., see Gagnon, L., 313

Capodicasa, E., see Moretto, A., 97
Carelli, G., see Boscolo, P., 135
Carmignani, M., see Boscolo, P., 135
Casale, G.P., Bavari, S., Gold, R.E. and Vitzthum, E.F., Inhibition of interleukin-2-stimulated enhancement of human natural killer (NK) cell activity by carbaryl, an anticholinesterase insecticide, 299
Chan, J., see Gagnon, L., 313
Chen, B.Q., see Kishi, R., 141
Cohen, S.M., see Okamura, T., 261
Connor, T.H. and Trizna, Z., Pentamidine isethionate is negative in tests for microbial mutagenicity and chromosomal breakage in vitro, 69
Corcoran, G.B., see Kamendulis, L.M., 277
Couture, J., see Dahlström-King, L., 243

Dahlström-King, L., Couture, J. and Plaa, G.L., Influence of agents affecting monooxygenase activity on taurolithocholic acid-induced cholestasis, 243
de Groot, H., Isolated cells in the study of the molecular mechanisms of reperfusion injury, 111
De Meester, C., see Gallez, B., 35
Debuyst, R., see Gallez, B., 35
Dejehet, F., see Gallez, B., 35
Dumont, P., see Gallez, B., 35

Elrakhawy, F.I., see Abdel-Rahman, M.S., 155
Ema, M., Itami, T. and Kawasaki, H., Teratological assessment of glutaraldehyde in rats by gastric intubation, 147

Finelli, V.N., see Boscolo, P., 135
Fujiwara, Y., see Kaji, T., 13
Fuxe, K., see von Euler, G., 165

Gagnon, L., Lacroix, F., Chan, J. and Buttar, H.S., In vitro effects of 'designer' amphetamines on human peripheral blood mononuclear leukocytes proliferation and on natural killer cell activity, 313
Gallez, B., De Meester, C., Debuyst, R., Dejehet, F. and Dumont, P., Mutagenicity of nitroxyl compounds: structure–activity relationships, 35
Garland, E.M., see Okamura, T., 261
Ghiconti, I.K., see Theocharis, S.E., 181
Giuliano, G., see Boscolo, P., 135
Gold, R.E., see Casale, G.P., 299
Gustafsson, J.-Å., see von Euler, G., 165

Horiguchi, S., see Kawai, T., 333
House, D.E., Berman, E., Seely, J.C. and Simmons, J.E., Comparison of open and blind histopathologic evaluation of hepatic lesions, 127

Ikeda, M., see Kawai, T., 333
Ikeda, T., see Kishi, R., 141
Inoue, Y., see Uno, Y., 191, 201
Iskander, F.A., see Abdel-Rahman, M.S., 155
Itami, T., see Ema, M., 147

Jaeschke, H., Commentary on 'Isolated cells in the study of the molecular mechanisms of reperfusion injury' by H. de Groot, 107
Johansson, S.L., see Okamura, T., 261
Jukes, R., see Mattocks, A.R., 47

Kadry, A.R.M., see Turkall, R.M., 57
Kaji, T., Fujiwara, Y., Koyanagi, E., Yamamoto, C., Mishima, A., Sakamoto, M. and Kozuka, H., Protective effect of copper against cadmium cytotoxicity on cultured vascular endothelial cells, 13
Kamendulis, L.M. and Corcoran, G.B., Independence and additivity of cultured hepatocyte killing by Ca^{2+} overload and ATP depletion, 277
Kaphalia, L., see Bhatia, J., 79
Katakura, Y., see Kishi, R., 141
Kawai, T., Yasugi, T., Mizunuma, K., Horiguchi, S. and Ikeda, M., Urinalysis vs. blood analysis, as a tool for biological monitoring of solvent exposure, 333
Kawasaki, H., see Ema, M., 147
Kishi, R., Katakura, Y., Ikeda, T., Chen, B.Q. and Miyake, H., Neurochemical effects in rats following gestational exposure to styrene, 141
Koizumi, T., Li, Z.G. and Tatsumoto, H., DNA damiging activity of cadmium in Leydig cells, a target cell population for cadmium carcinogenesis in the rat testis, 211
Koyanagi, E., see Kaji, T., 13
Kozuka, H., see Kaji, T., 13

Lacroix, F., see Gagnon, L., 313
Li, Z.G., see Koizumi, T., 211
Lotti, M., see Moretto, A., 97
Lyng, R.D., Fetal mouse salivary glands and applications for determining teratogenic mechanisms in vitro, 289

Majak, W., Stability of allylthiocyanate and allylisothiocyanate in bovine ruminal fluid, 75
Margeli, A.P., see Theocharis, S.E., 181
Mattocks, A.R. and Jukes, R., Detection of sulphur-conjugated pyrrolic metabolites in blood and fresh or fixed liver tissue from rats given a variety of toxic pyrrolizidine alkaloids, 47
McClure, T.R., see Rasmussen, R.E., 253
Melethil, S., see Xu, Z.-C., 7
Mishima, A., see Kaji, T., 13
Miyagawa, M., see Uno, Y., 191, 201
Miyake, H., see Kishi, R., 141
Mizunuma, K., see Kawai, T., 333
Moretto, A., Capodicasa, E. and Lotti, M., Clinical expression of organophosphate-induced delayed polyneuropathy in rats, 97
Moslen, M.T., see Bhatia, J., 79
Munday, R., see Babich, H., 171
Murata, T., see Uno, Y., 191, 201

Ogawa, M., see Uno, Y., 191, 201
Ögren, S.-O., see von Euler, G., 165
Okamura, T., Garland, E.M., Taylor, R.J., Johansson, S.L. and Cohen, S.M., The effect of cyclophosphamide administration on the kidney of the rat, 261

Paule, M.G., see Talaska, G., 321
Pelissier, M.A., see Albrecht, R., 91
Plaa, G.L., see Dahlström-King, L., 243

Rasmussen, R.E. and McClure, T.R., Effect of chronic exposure to NO_2 in the developing ferret lung, 253
Rassin, D.K., see Bhatia, J., 79
Reinke, L.A., Commentary on 'ethanol toxicity and oxidative stress' by S.C. Bondy, 227

Sakamoto, M., see Kaji, T., 13
Scallet, A.C., see Talaska, G., 321
Schamer, M., see Talaska, G., 321
Seely, J.C., see House, D.E., 127
Sheftel, V.O. and Sova, R.Y., Criterion of reliability as the function of variability and significance of biological parameters, 1
Simmons, J.E., see House, D.E., 127
Skowronski, G.A., see Turkall, R.M., 57
Slikker Jr., W., see Talaska, G., 321
Smaili, M., see Albrecht, R., 91
Sova, R.Y., see Sheftel, V.O., 1

Stern, A., see Babich, H., 171
Swenberg, J.A., see Borghoff, S.J., 21

Takasawa, H., see Uno, Y., 191, 201
Talaska, G., Schamer, M., Bailey, J.R., Ali, S.F., Scallet, A.C., Slikker Jr., W. and Paule, M.G., No increase in carcinogen-DNA adducts in the lungs of monkeys exposed chronically to marijuana smoke, 321
Tang, J.-p., see Xu, Z.-C., 7
Tatsumoto, H., see Koizumi, T., 211
Taylor, R.J., see Okamura, T., 261
Theocharis, S.E., Margeli, A.P., Ghiconti, I.K. and Varonos, D., Liver thymidine kinase activity after cadmium-induced hepatotoxicity in rats, 181
Trizna, Z., see Connor, T.H., 69
Turkall, R.M., Skowronski, G.A., Kadry, A.R.M. and Abdel-Rahman, M.S., Sex differences in the bioavailability of soil-adsorbed *m*-xylene in orally exposed rats, 57

Uno, Y., Takasawa, H., Miyagawa, M., Inoue, Y., Murata, T., Ogawa, M. and Yoshikawa, K., In vivo–in vitro replicative DNA synthesis (RDS) test using perfused rat livers as an early prediction assay for nongenotoxic hepatocarcinogens: I. Establishment of a standard protocol, 191
Uno, Y., Takasawa, H., Miyagawa, M., Inoue, Y., Murata, T., Ogawa, M. and Yoshikawa, K., In vivo–in vitro replicative DNA synthesis (RDS) test using perfused rat livers as an early prediction assay for nongenotoxic hepatocarcinogens: II. Assessment of judgement criteria, 201

Varonos, D., see Theocharis, S.E., 181
Vitzthum, E.F., see Casale, G.P., 299
von Euler, G., Ögren, S.-O., Fuxe, K. and Gustafsson, J.-Å., Ganglioside GM_1 counteracts the enhancing effects of subacute toluene exposure on apomorphine-induced locomotor activity, 165

Xu, Z.-C., Tang, J.-p., Xu, Z.-X. and Melethil, S., Kinetics of aluminum in rats IV: blood and cerebrospinal fluid kinetics, 7
Xu, Z.-X., see Xu, Z.-C., 7

Yamamoto, C., see Kaji, T., 13
Yasugi, T., see Kawai, T., 333
Yoshikawa, K., see Uno, Y., 191, 201
Youtsey, N.L., see Borghoff, S.J., 21

Toxicology Letters, 63 (1992) 351–352
Elsevier Science Publishers B.V.

SUBJECT INDEX VOL. 63 (1992)

A23187, 277
Age, 97
Alloxan, 155
Aluminum, 7
^{14}C-Amino acid incorporation, 289
Amino acids, 79
Amphetamines, 313
Anticholinesterase, 299
Antioxidant enzymes, 91
ATP, 277
5-Azacytidine, 289

Bile flow, 243
Bioavailability, 57
Biological monitoring, 333
Blind evaluation, 127
Blood, 7
Blood analysis, 333
Blood hypertension, 135
Blood-brain barrier, 7

Ca^{2+}, 277
Cadmium, 13, 211
Cadmium hepatotoxicity, 181
Carcinogen-DNA adducts, 321
Cell proliferation, 191, 201, 21
Central nervous system, 231
Cerebellum, 141
Cerebrospinal fluid, 7
Cerebrum, 141
Chemical hypoxia, 277
Cholestasis, 243
Chromosomal breakage, 69
Contrast agent, 35
Copper, 135, 13
Cruciferae, 75
Cultured hepatocytes, 277
Cyclamate, 289
Cycloheximide, 289
Cyclophosphamide, 261
Cytochrome P-450, 243
Cytotoxicity, 13

'Designer' amphetamines, 313

Degranulation, 155
Detection in blood, liver, 47
Developmental toxicity, 147
Diet restriction, 91
Disinfectant, 147
DNA fragmentation, 277
Dopamine behaviours, 165

Endothelial cells, 13
Endothelium, 13
Ethanol, 231
Evaluation, 127
Experimental bias, 127
Exposure monitoring, 47

Ferret, 253
Free radicals, 231

Gestational exposure, 141
α_{2u}-Globulin nephropathy, 21
Glucosinolates, 75
Glutaraldehyde, 147
Glutathione, 79

Hemorrhagic cystitis, 261
n-Hexane, 333
Histologic, 127
Hydrogen peroxide, 211
Hydronephrosis, 261

Immunomodulation, 313
Insulin, 155
Interleukin-2, 299
Intestine, 91
Isolated cells, 111

Kinetics, 7

Lead, 135
Leydig cells, 211
Light, 79
Liver, 91, 111
Locomotion, 165
Lung, 321

Lung development, 253
Lymphocyte proliferation, 313

Magnetic resonance imaging, 35
Marijuana, 321
Microscopic, 127
Monooxygenase activity, 243
Morphometry, 253
Muscle necrosis, 171
Mustard oils, 75
Mutagenicity, 69, 35

Natural killer cell, 299, 313
Neuropathy target esterase, 97
Neurotransmitter, 141
Neutral red cytotoxicity assay, 171
Nitrogen dioxide, 253
Nitroxyl, 35
Nongenotoxic hepatocarcinogen, 191
Nongenotoxic hepatocarcinogens, 201

Occupational exposure, 69
Occupational health, 333
Open evaluation, 127
Organic solvent, 165
Oxidative stress, 211, 231

Papillary necrosis, 261
Pentamidine, 69
Phenylenediamines, 171
^{32}P-Postlabelling, 321
Promotion of neuropathy, 97
Pyrrolic metabolites, 47
Pyrrolizidine alkaloids, 47

Rat, 147, 165, 7, 91
Rat liver, 201, 191
Rats, 181
RDS test, 201, 191
Reactive oxygen species, 111, 171
Rearing, 165
Reliability, 1
Renal toxicity, 261
Reperfusion injury, 111
Replicative DNA synthesis, 201, 191

Sensitivity, 97
Serine hydrolase, 299
Sex differences, 57
Simple bias, 127
Single strand breaks, 211
SOD, 155
Soil adsorption, 57
Stability, 35
Sterilizer, 147
Stinkweed, 75
Styrene, 141
Sulphur conjugates, 47

[^{3}H]Thymidine incorporation, 289
Taints, 75
Taurolithocholate, 243
Teratogenicity, 147
Testicular cancer, 211
Thaspi arvense, 75
Thiobarbituric acid-reactive substances, 91
Thymidine kinase activity, 181
Toluene, 333
Toxicity, 35

Urinalysis, 333

Variability of parameters, 1
Vascular, 13

Wurster salts, 171

m-Xylene, 57

Zinc, 135